

AUSTRALIAN JOURNAL OF EXPERIMENTAL AGRICULTURE AND ANIMAL HUSBANDRY

CONTENTS VOLUME 24 1984

Number 124 February

The effect of <i>Leucaena leucocephala</i> on liveweight gain, thyroid size and thyroxine levels of steers in south-eastern Queensland—R. M. Jones and R. J. Jones	4
Evidence of a negative relationship between heifer growth and first calf weaning weight in commercial beef herds—I. D. Johnsson and S. V. Morant	10
Liveweight response to supplementation of pen-fed and grazing cattle eating barley stubble—P. J. May and D. J. Barker	15
Hay conservation for cattle on winter-grazed green panic (<i>Panicum maximum</i> var. <i>trichoglume</i>) pasture in south-eastern Queensland—W. J. Scattini	20
Effects of pasture availability and liveweight on the feeding of grass hay to grazing sheep—H. A. Birrell	26
Effects of different stocking intensities in early life on the productivity of Merino ewes grazed as adults at two stocking rates. 1. Wool production and quality, lamb growth rate, and size and liveweight of ewes—J. P. Langlands, G. E. Donald and D. R. Paull	34
Effects of different stocking intensities in early life on the productivity of Merino ewes grazed as adults at two stocking rates. 2. Reproductive performance—J. P. Langlands, G. E. Donald and D. R. Paull	47
Effects of different stocking intensities in early life on the productivity of Merino ewes grazed as adults at two stocking rates. 3. Survival of ewes and their lambs, and the implications for flock productivity—J. P. Langlands, G. E. Donald and D. R. Paull	57
Evaluation of a subjective fat scoring system for lamb carcasses—G. J. Lee, J. M. Thompson and J. R. Fitzgerald	66
Variation in non-wool components of the greasy fleece over the body of Merino sheep—K. J. Thornberry and K. D. Atkins	72
The food intake and growth of Australian feral \times Angora kids when fed whole grain barley-lupins diets with three levels of roughage intake—B. A. McGregor	77
Effects of dichlorvos, maldison and pirimiphos-methyl on food consumption, egg production, egg and tissue residues, and plasma acetylcholinesterase inhibition in layer strain hens—R. A. E. Pym, G. Singh, W. S. Gilbert, J. P. Armstrong and B. V. McCleary	83
Effects of grazing management on the botanical composition of a lucerne pasture in south-eastern Queensland—G. J. Leach, M. B. Dale and D. Ratcliff	93
Growth, grain yield and water use of rice grown under restricted water supply in New South Wales—D. P. Heenan and J. A. Thompson	104
Sowing time effects on the development, yield and oil characteristics of irrigated sunflower (<i>Helianthus annuus</i>) in semi-arid tropical Australia—A. L. Garside	110
Boron supplying power, boron adsorption capacity and productivity of some acidic soils from the Central Tablelands of New South Wales—K. S. Haddad and C. J. Kaldor	120
Relation between plant size and severity of root rot in subterranean clover—M. J. Barbetti	126
Effects of ethephon on ripening, red colour, and storage performance of Jonathan and Delicious apples—R. L. Brohier and J. D. Faragher	130

Number 125 May

Effects of lice infestation on the growth of beef heifers in Victoria—P. J. Bailey, W. A. D. Carroll and B. Knee	140
The growth of weaner sheep on clover or grass pastures during summer in Western Victoria—P. T. Kenny	144
Comparison of the fat status of lambs during continuous growth and following nutritional restriction and subsequent re-alimentation—R. W. Hodge and M. Star	150
Feeding value of subterranean clover, lucerne, phalaris and Wimmera ryegrass for lambs—M. Freer and D. B. Jones	156
Intake, digestion, and nitrogen and sulfur retention in Angora goats and Merino sheep fed herbage diets—P. T. Doyle, J. K. Egan and A. J. Thalen	165
Poppy seed meal (<i>Papaver somniferum</i>) as a protein source for growing pigs—M. Statham	170
A comparison of methods of estimating lucerne population for monitoring persistence—G. M. Lodge and A. C. Gleeson	174
Breeding disease resistant, aphid resistant lucerne for subtropical Queensland—R. J. Clements, J. W. Turner, J. A. G. Irwin, P. W. Langdon and R. A. Bray	178
Superphosphate requirements for maintenance of cattle production from grass-clover pastures in a subtropical environment—R. D. H. Cohen, E. J. Havilah and G. H. O'Neill	189
Long term patterns of seed softening and seedling establishment from single crops of subterranean clover—G. B. Taylor, R. C. Rossiter and M. J. Palmer	200
Phosphorus compounds measured in a rapid and simple leaf test for the assessment of the phosphorus status of subterranean clover—G. C. J. Irving and D. Bouma	213
Effects of crop residue incorporation on soil properties and growth of subsequent crops—P. J. White	219
Growth, yield and nitrogen requirements of winter sown cereals grown after cotton or summer fallow in the lower Namoi Valley, New South Wales—G. K. McDonald, B. G. Sutton and F. W. Ellison	236
Comparative effects of black and green gram (mung beans) and grain sorghum on soil mineral nitrogen and subsequent grain sorghum yields on the Eastern Darling Downs—J. A. Doughton and J. Mackenzie	244
Response of Inga rice to application of nitrogen fertilizer at varying growth stages—P. E. Bacon and D. P. Heenan	250
Low-temperature induced floret sterility in the rice cultivars Calrose and Inga as influenced by nitrogen supply—D. P. Heenan	255
Migration of stored-grain insect pests from a small wheat bulk—E. R. Sinclair and J. Alder	260
Resistance of cultivars of <i>Avena sativa</i> to, and host range of, an oat-attacking race of <i>Ditylenchus dipsaci</i> in South Australia—J. M. Stanton, J. M. Fisher and R. Britton	267
Biological control of <i>Sclerotinia sclerotiorum</i> in lettuce by <i>Fusarium lateritium</i> —D. Sitepu and H. R. Wallace	272
Resistance and tolerance of grape rootstocks to South Australian populations of root-knot nematode—G. R. Stirling and R. M. Cirami	277
Comparison of the effects of rootstock on crop, juice and wine composition in a replanted nematode-infested Barossa Valley vineyard—R. M. Cirami, M. G. McCarthy and T. Glenn	283
Measurement and prediction of harvest maturity of Jonathan apples for storage—J. D. Faragher, R. L. Brohier, C. R. Little and I. D. Peggie	290

Number 126 August

Evaluation of techniques for estimating the yield of irrigated pastures intensively grazed by dairy cows. 1. Visual assessment—C. R. Stockdale	300
Evaluation of techniques for estimating the yield of irrigated pastures intensively grazed by dairy cows. 2. The rising plate meter—C. R. Stockdale	305

Effects of pasture type and grazing management in autumn on the performance of dairy cows in late lactation and on subsequent pasture productivity—K. R. King and C. R. Stockdale	312
Effects of pasture type on the growth and wool production of weaner sheep during summer and autumn—P. T. Kenny and K. F. M. Reed	322
Short and long term effects of feeding supplements of oats, wheat and lupin grain on the production of ewes lambing in autumn—P. A. Kenney and G. B. Roberts	332
Effects of shearing time and time of lambing on wool growth and processing characteristics—G. W. Arnold, A. J. Charlick and J. R. Eley	337
Prediction of bone-in retail cuts and edible meat of crossbred lamb carcasses—R. W. Hodge and N. Oddie	344
Field peas (<i>Pisum sativum</i>) as a feed for growing and finishing pigs. 1. Nutrient levels in commercial crops—R. L. Davies	350
Application of piggery waste to soils in pots: effect on dry matter yield and uptake of nitrogen, potassium, calcium and magnesium by ryegrass and white clover—R. Reid, L. A. Douglas and P. M. Chalk	354
Establishment of four pasture grasses and Siratro from seed oversown into dense and open speargrass pastures—S. J. Cook	360
Phosphorus requirements and responses of tropical pasture species: native and introduced grasses, and introduced legumes—J. G. McIvor	370
Evaluating hybrids between <i>Leucaena leucocephala</i> and <i>L. pulverulenta</i> as potential forage plants—R. A. Bray	379
Effects of row spacing and plant population on sweet sorghum yield—P. M. Martin and F. M. Kelleher	386
Grain losses due to delayed harvesting of barley and wheat—M. D. A. Bolland	391
Effects of temperature and moisture stress on germination and seedling growth of four tropical species—R. M. Hughes, R. L. Colman and J. V. Lovett	396
Genetic improvement of drought survival ability in <i>Phalaris aquatica</i> L.—R. N. Oram and R. D. Freebairn	403
Responses of nine tropical grasses to nitrogen fertilizer under rain-grown conditions in south-eastern Queensland. 1. Seasonal dry matter productivity—B. G. Cook and J. C. Mulder	410
Responses of nine tropical grasses to nitrogen fertilizer under rain-grown conditions in south-eastern Queensland. 2. Concentrations and uptakes of nitrogen, phosphorus and potassium in plant tops—B. G. Cook and J. C. Mulder	415
Wheat and ryegrass competition for pulses of mineral nitrogen—F. Forcella	421
Changes in growth and development in cotton associated with genes for frego bract and glabrous leaf—P. E. Reid and N. J. Thomson	426
Selection of soybean cultivar and sowing date as a strategy for avoidance of rust (<i>Phakopsora pachyrhizi</i> Syd.) losses in coastal New South Wales—P. J. Desborough	433
Control of <i>Drosophila</i> spp., <i>Carpophilus</i> spp., and <i>Ephesia figulilella</i> (Gregson) in Sultana grapes grown for dried fruit—G. A. Buchanan, G. McDonald and P. W. C. Evans	440
Dimethoate dipping of tomatoes against Queensland fruit fly, <i>Dacus tryoni</i> (Froggatt)—G. Swaine, P. A. Hargreaves, D. E. Jackson and R. J. Corcoran	447
Bacterial blights of peas in Victoria—D. L. S. Wimalajeewa and R. J. Nancarrow	450
Thinning Golden Delicious apples with pre-bloom naphthalene acetic acid and later carbaryl sprays—K. M. Jones, T. B. Koen and R. J. Meredith	453

Number 127 November

Effects of frequency of zeranol implantation on liveweight gain of steers grazing improved pastures in central Queensland—G. W. Mason, G. W. Blight and T. H. Rudder	460
Accuracy of alternative methods of estimating weekly yields of milk fat and protein—T. Clarke and A. McGowan	464

Evaluation of fasting as a technique for use in feeding experiments in which dairy cows are strip-grazed—C. R. Stockdale and K. R. King	469
Feeding hay-based diets deficient in protein to dairy cows during early lactation—B. D. Bartsch and R. B. Wickes	478
Gypsum labelled with tritiated water as a marker for estimating supplement intake by individual sheep fed in groups—H. Dove	484
Digestibility and voluntary intake by sheep of five <i>Digitaria</i> species—D. J. Minson	494
Performance of growing pigs fed wheat, barley, or triticale—R. L. Davies and B. C. Radcliffe	501
Field peas as a feed for growing and finishing pigs. 2. Effects of substituting peas for meat meal or fish meal in conventional diets—R. L. Davies	507
A comparison of ultrasonic machines for the prediction of backfat thickness in the live pig—J. E. Hudson and A. Payne-Crostin	512
Effects of caecectomy and dietary antibiotics on the digestibility of dry matter and amino acids in poultry feeds determined by excreta analysis—Y. C. Raharjo and D. J. Farrell	516
Short-term nitrogen balance in urine-treated areas of pasture on a yellow earth in the subhumid tropics of Queensland—I. Vallis and C. J. Gardener	522
Comparison of production from an agroforestry system in a mid-rotation stand of <i>Pinus pinaster</i> with that from open pasture—G. W. Anderson and F. E. Batini	529
Application and appraisal of a visual estimation technique for composition and yield sampling of grass-legume pastures in the wet tropics of north-eastern Australia—P. K. O'Rourke, T. H. McCosker, J. K. Teitzel, Honor P. Stephenson and R. J. Wilson	535
Herbage production and seed yield of defoliated subterranean clover swards in a cool temperate environment—B. S. Dear and B. Loveland	543
Effects of cultivation and cultural practices on root rot of subterranean clover—M. J. Barbetti and G. C. MacNish	550
Crop and pasture rotations at Coonalpyn, South Australia: effects on soil-borne diseases, soil nitrogen and cereal production—P. M. King	555
Effects of sodium fertilizer, cultivar, temperature and growth stage on the mineral content and nutritive value of sorghum forage—J. L. Wheeler, B. A. Hamilton and D. A. Hedges	565
Effects of phosphorus and superphosphate on the growth of <i>Urochloa</i> species—J. G. McIvor	571
Prediction of the responsiveness to phosphorus of annual non-irrigated pasture in northern Victoria—H. R. Jones, I. R. Maling and B. C. Curnow	579
Comparison of grain growth and yield of a semi-dwarf wheat and a standard height wheat grown in the Victorian Mallee—D. R. Coventry, D. N. Walsgott and R. A. Latta	586
Effects of lupin-wheat rotations on soil fertility, crop disease and crop yields—T. G. Reeves, A. Ellington and H. D. Brooke	595
Black point in bread wheat: effects on quality and germination, and fungal associations—R. G. Rees, D. J. Martin and D. P. Law	601
Effects of method and timing of nitrogen fertilizer application on irrigated maize growth and nutrient distribution in soil—P. E. Bacon and J. A. Thompson	606
Control of annual grasses in pasture and legume crops with fluzifop-butyl—N. R. Venn	612
Purification of corynetoxins from galls of annual ryegrass infected with <i>Corynebacterium rathayi</i> —P. Vogel, H. Golding, A. McWilliam and J. Carlin	617
Dimethoate dipping of Kensington mango against Queensland fruit fly—G. Swaine, K. J. Melksham and R. J. Corcoran	620
Field performance of tomato cultivars for cool-season production—D. O. Huett	624
Annual contents and Author index	631

